

built on trust™



72m OFFSHORE PATROL VESSEL  
**VARD 7 072**

**VARD™**  
a Fincantieri company



**Key Facts**

Main Crew | 34  
Special Forces | 24  
Dimensions |



**Performance**

Max Speed | 21.0 kt  
Service Speed | 16.0 kt



**Propulsion Machinery**

Main Engine | 2 x 4,080 kW  
Main Generators | 2 x 565 kW




**Auxiliary Machinery**

Tunnel Thruster | 1 x 340 kW  
Emergency Generator | 1 x 150 kW



**Tankage**

Range | 4,800 nm @ 16 kt  
Endurance | 21 day




Depth 6.8 m

Draft 3.4 m


Length 72.0 m

Beam 13.0 m



built on trust™

**SAFE**  
CAPABLE  
FLEXIBLE.



**Weather Deck**

Raised foredeck and protective bulwark enhance crew safety on deck in heavy weather



**Lifesaving**

Waterline access area each side for rescue capability



**Excellent Seakeeping**

Stabilizer fins and bilge keels provide roll-damping to reduce crew fatigue and increase safety in heavy weather



**Bow Thruster**

Bow thruster for enhanced maneuverability & controlled mooring

**VARD™**  
a Fincantieri company

built on trust™

SAFE  
CAPABLE  
FLEXIBLE.



### Weapons

25mm Main Gun  
.50 Cal side guns for  
vessel defense



### Flight Deck

Organic facilities for UAV  
operations and landing  
capability for 2.9t Helo  
(EC135 T2+ or similar)



### Stern-Launch Boat

Stern ramp-launched  
11m RIB with over-the-  
horizon capability for  
inspection & interdiction




### Side-Launch Boat

Davit-launched  
7.2m RIB for rescue  
& lifeboat mustering



### Efficient Propulsion

Proven hull offers  
speeds up to 21  
knots & cruising  
range of 4,800 nm



**VARD**™  
a Fincantieri company

built on trust™

# SAFE CAPABLE FLEXIBLE.




**Hull Walkaround Access**  
Unimpeded deck access for ease of mooring, boarding & interoperability with small boats



**Surge Berthing**  
Accommodation for 24 special forces or rescue survivors



**Working Deck**  
Optional clear aft deck in lieu of stern ramp for mission container, equipment storage, refugee shelter, etc.



**Mission Container**  
Space for ISO 20 allows rapid transition between missions. Optional refit of additional 7.2m RIB



**Multi-Mission Space**  
100 m<sup>2</sup> flexible-outfit mission space below deck with direct weather deck access