


built on trust™



Platform Supply Vessel

VARD 1 260

VARD™
a Fincantieri company



Key Facts

Complement | Up to 50 Persons
Dimensions



Performance

Economical Speed | 10 knots
DP Capability | DP2



Machinery

Azimuthing Thrusters | 2 x 2500 kW
Generators | 4 x 2000 kW
Bow Thrusters | 2 x 1180 kW



Baseline Cargo Tankage*

Fuel Oil | 825 m³
Liquid Mud | 745 m³
Methanol | 310 m³
Dry Bulk | 245 m³

**highly reconfigurable*


Depth 25.5'



Draft 20'


Length 260'

Beam 60'



built on trust™

CAPABLE
FLEXIBLE
RESPONSIBLE.



Bow Thrusters

2 bow thrusters up to 1200 kW for increased maneuverability and station keeping during DP2 operations.



Rescue Craft

SOLAS approved rescue craft provided with davit. Optional upgrade to FRC.



Propulsion

Propulsion delivered by 2 x azimuthing thrusters up to 2500 kW.

VARD™
a Fincantieri company

built on trust™

CAPABLE FLEXIBLE RESPONSIBLE.



Alternative Fuels
Methanol and methanol ready configurations available.




Working Deck
8,180 ft² unimpeded aft deck with wood sheathing and securing fittings provided.



Hybrid Power
Optional battery pack improves operational efficiency and flexibility through peak shaving and spinning reserve capacity.



Cargo
Internal hull volume can be configured to carry numerous different types of liquid and bulk cargoes.



VARD™
a Fincantieri company

CAPABLE FLEXIBLE RESPONSIBLE.



Firefighting
2 x FiFi 1 Fire Monitors
with house deluge
system.



Berthing
Accommodation for up to
50 persons compliant
with MLC 2006.



Bridge Visibility
Excellent bridge visibility
in all directions.



Emissions
Optional EPA Tier
4 compliance.

